

Female Circumcision in Islam (part 1 of 2): The History of Female Genital Cutting (FGC) and its Types

Description: The various types of female genital cutting (FGC), its geography, and the different reasons it was performed in various societies.

By IslamReligion.com

Published on 13 Nov 2006 - Last modified on 19 Nov 2006

Category: [Articles](#) > [Current Issues](#) > [Women](#)

A common phenomenon which has been regrettably associated almost exclusively with Islam is the various forms of female genital cutting, or FGC[1]. Although many of those who are involved in this act attribute to the religion of Islam, the majority of the forms of FGC present in the world today which are acts truly abominable, acts of which the religion of Islam is innocent. In no way does Islam condone these actions, and they should be looked at something purely culture and not Islamic. Amnesty International asserts, "FGC [female genital cutting] predates Islam and is not practiced by the majority of Muslims, but has acquired a religious dimension." [2] The Female Genital Cutting Education and Networking Project states, "...it is not an Islamic practice. FGC is a cross-cultural and cross-religious ritual. In Africa and the Middle East, it is performed by Muslims, Coptic Christians, members of various indigenous groups, Protestants, and Catholics, to name a few." [3] One sect of Jews, the Falashas, also circumcise both sexes. [4] We will first look into the various types of FGC, and then examine why various cultures implemented these techniques upon their female constituencies.

Types of Female Genital Cutting

Female genital cutting is "term used to refer to any practice which includes the removal or the alteration of the female genitalia." [5] There are three basic types of FGC [6]:


Type I: This is the mildest form of FGC, which includes removing or splitting the prepuce (foreskin or 'hood') which covers the clitoris of females, thus exposing the glans. This may be couple with partial or total excision of the clitoris. This is known as clitoridotomy (*slang*: hoodectomy). According to the United Nations Population Fund, this form is comparable to male circumcision. [7] This is sometimes also called "sunna circumcision" due to the fact that it is this type which is performed commonly by those Muslims who believe it to be legislated in Islam.

Type II: In this type, known as clitoridectomy, the clitoris and labia minora is partially or totally removed.

Type III: This is one of the most extreme forms of FGC, involving the total excision of the clitoris, both the labia minora and majora, and the joining of the two sides of the vulva across the vagina, sewn with thread or secured with other items, until it heals joining together. Only a small, pencil-size hole is left to allow passage of menstrual blood and urine. This is known as infibulation or *Pharaonic Circumcision*, in reference to its origins.

Type IV: This type is inclusive of all other forms of genital cutting, such as: pricking, piercing or incision of the clitoris and/or labia; stretching of the clitoris and/or labia; cauterization by burning of the clitoris and surrounding tissue; introcision, scraping (angurya cuts) or cutting (gishri cuts) of the vagina or surrounding tissue; and introduction of corrosive substances or herbs into the vagina.


Geography




Various forms of FGC is practiced throughout the world, but it is most common in sub-Saharan Africa, in a band stretching East from Senegal to Somalia, as shown on the map. It also exists in the Middle East, North and South America, Indonesia and Malaysia. Type III is almost exclusive to Somalia, Sudan and southern Egypt, along with some areas in Mali and Nigeria.

We find that in some societies, such as Somalia, Eritrea, and Ethiopia, almost all women undergo type III of FGC. Reasons range from regarding the woman as unclean if the clitoris is not completely removed, to ensuring that women remain chaste until marriage. This practice is an age old custom in these societies, and members fear to leave it out of fear of chastisement. Women may not be able to get married, or even be accused of committing fornication. Families may also lose their honor if this tradition is not kept with.

FGC was also a common practice in North America, and specifically in the U.S., type I, II and III was common until the 1950's in order to control female sexuality. Clitoridectomy was performed for various reasons. One of the most common reasons was to reduce masturbation. In England, Isaac Baker Brown published a book about his successes in treating female masturbation with clitoridectomy. He also claimed it to cure obscure nervous disorders such as hysteria and epilepsy.^[8] Many more solutions were offered for masturbation, such as chastity belts, first used in medieval times to ensure that wives remain chaste while their husbands were away. In order to prevent masturbation in boys, spiked rings even more drastic measures were employed, such as cauterization and even castration.^[9]



In one of the most classic of pediatric textbooks, *Diseases of Infancy and Childhood*, published 11 times from 1897 to 1940, the author L.E. Holt advocated cauterization of the clitoris as well as blistering the vulva as a preventive measures for masturbation. Masturbation was seen as the reason of many ills, such as neuroticism, disobedience, and disrespect of parents.[10]



In the U.S. an organization known as the Orificial Surgery Society was formed, publishing journals mentioning the various benefits of clitoridectomy, even for things as trivial as headaches.

There were also many hygienic benefits that were thought to be produced by clitoridotomy. C.F. McDonald states in a 1958 paper entitled *Circumcision of the Female* [11]: "If the male needs circumcision for cleanliness and hygiene, why not the female? I have operated on perhaps 40 patients who needed this attention." The author states that it remedies "irritation, scratching, irritability, masturbation, frequency and urgency," and [smegmaliths](#) causing "[dyspareunia](#) and [frigidity](#)."

Until recently the clitoris was seen as unclean thing. Even Sigmund Freud, one of the founders of modern psychology, stated in one of his books *Sexuality and the Psychology of Love*, the "elimination of clitoral sexuality is a necessary precondition for the development of femininity."

Today in the west, many adults choose to undergo clitoridotomy, as some doctors[12] and others[13] advocate clitoridotomy, claiming that it increases sexual [pleasure](#). They state that over-sized clitoral hood may impede in the stimulation of the [clitoris](#). Some websites, such as [Circlist](#), [BMEzine](#), and [geocities](#), even have testimonials of people who underwent the process, as well as medical reports promoting the practice. They show that the majority of women reported increased sexual pleasure after the procedure (87.5% in Rathmann's 1959 study[14] and 75% in Knowles').

Endnotes:

[1] Some opponents of this practice use the term Female Genital Mutilation, or FGM, but the term FGC is being used more commonly these days in order to avoid stirring social sensitivities.

[2] *What is Female Genital Mutilation?* Amnesty International..
(<http://web.amnesty.org/library/Index/ENGACTION770061997?open&of=ENG-370>)

[3] *Female Genital Cutting (FGC): An Introduction*, Marianne Sarkis.
(<http://www.fgmnetwork.org/intro/fgmintro.html>).

[4] Andree, "Zur Volkskunde der Juden," p. 84.

[5] Female Genital Cutting (FGC): An Introduction, by Marianne Sarkis (<http://www.fgmnetwork.org/intro/index.html>).

[6] Female Genital Mutilation: Report of a WHO Technical Working Group, Geneva, 17-19 July 1995." World Health Organization: Geneva. 1996.

[7] Frequently Asked Questions on Female Genital Mutilation/Cutting (<http://www.unfpa.org/gender/practices2.htm#4>).

[8] "The Ritual of Circumcision", by Karen Ericksen Paige. *Human Nature*, pp 40-48, May 1978.

[9] *ibid.*

[10] *ibid.*

[11] McDonald, C.F., M.D (September, 1958). "Circumcision of the Female.

[12] Ezzell, Carol (October 31, 2000). "*Anatomy and Sexual Dysfunction*".

[13] Clitoral Circumcision. Tantra * Kama Sutra * Tantric Sex & Tantric philosophy.

[14] Rathmann, W.G., M.D. (September, 1959). "*Female Circumcision: Indications and a New Technique*."

The web address of this article:

<http://www.islamreligion.com/articles/438>

Copyright © 2006-2015 [IslamReligion.com](http://www.islamreligion.com). All rights reserved.